# OFFICE COPY

WHOLESALE PRICE-LIST



Rhododendrons Azaleas Kalmias Andromedas Lilies Cypripediums Ferns Sarracenias and Trees Shrubs and Herbaceous Plants

HARLAN P. KELSEY
6 Beacon Street BOSTON, MASS.

Grown in the Carolina Mountains at

# Highlands Nursery

100 Acres at 3,800 feet elevation

KAWANA, SAGINAW, N. C. SALEM BRANCH, SALEM, MASS.

Gift of

J. Horace McFarland Co.



### TERMS, ETC.

**Terms** are eash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement.

Shipments usually direct from Highlands Nursery, from Pineola, N. C., freight station. Present freight rate to New York, Boston and Philadelphia points, 96½ cents per 100 pounds. Special express rates connecting with Norfolk steamers. Rates from our Rhododendron fields in Pennsylvania and from Nursery in Salem, Mass., on request.

**Packing** charged at cost only; our export shipments reach the most remote countries in perfect condition.

Send foreign remittances by Postal Money Order, drawn on Boston, Mass., postoffice, or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks or 5 francs.

Claims must be made on receipt of goods. All shipments travel at consignee's risk.

Shipping begins in August, when we send out large Rhododendrons, Kalmias and other Evergreens, and Bulbs and Herbaceous Plants; general stock going out in October and November, and in spring, from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

A Certificate of Inspection is sent out with every shipment.

Strictly hardy stock only is offered in this catalog, unless specially noted.

We publish a beautifully illustrated descriptive catalog.

We make low prices on any list of nursery stock desired, and are glad to estimate.

### HARLAN P. KELSEY, Prop.

Beacon Building

Cable Address KELMONT-BOSTON

BOSTON, MASS.

ALWAYS ADDRESS BOSTON OFFICE

May 1957

Harrisburg, remia.

# The Only Large Stock Ever Offered of the True

### Rhododendron catawbiense

#### CAROLINA RHODODENDRON

Do not confuse this with the common so-called "catawbiense seedlings" imported from Europe, which is in reality a half-hardy, poor-flowered hybrid with little catawbiense blood in it. The true species grows only in the highest Southern Allegheny mountains, and is the finest of all Rhododendrons, considering its extreme hardiness, color of flower, and remarkable texture of foliage, which is a deep shiny green, far superior to that of the better known Rhododendron maximum.

For massing and producing a broad-leaved evergreen effect, there is no plant equal to it in the latitude of the northern United States, where strictly hardy plants must necessarily be used. Unlike R. maximum, it is a free bloomer, the large trusses being a bright red-purple color, in marked contrast to the muddy purple of the common half-hardy bybrid noted above. All plants offered below are heavy clumps. Packing is done in boxes, or the larger sizes in crates, and is charged at cost. These clumps often have 30 to 50 stems, and are bushy to the ground. We offer both collected and transplanted clumps.

We have magnificent fields for collecting this grand Rhododendron, with reasonable freight rates. Parks, cemeteries and nurserymen should write us for special prices in car lots.

#### PRICES OF RHODODENDRON CATAWBIENSE

Nearly all clumps over 1 foot are heavily budded

Prices of Rhododendron and Kalmia clumps at Salem Branch will be 25 per cent above these rates

#### NURSERY-GROWN

Bushy plants with balls and extra furnished, diameter of clumps corres-

ponding to height	Per 10	100	1,000
3 to 6 inches	\$0 60	\$4 50	\$30 00
6 to 9 inches	1 00	8 00	70 00
9 to 12 inches	1 50	12 00	100 00
Clumps, 6 to 9 inches	2 00	18 00	
Clumps, 9 to 12 inches	3 50	25 00	
Clumps, 1 to 1½ feet	5 00	40 00	
Clumps, 11/2 to 2 feet		90 00	
Clumps. 2 to 3 feet	20 00	150 00	
Clumps, 3 to 4 feet	35 00	300 00	

Some extra clumps, 3 to 5 feet high, at \$4 to \$15 each. These prices are for stock growing at nursery in North Carolina.

#### COLLECTED

All bushy clumps with fine balls, diameter corresponding to height

	Per 10	100	1,000
1 to 1½ feet	.\$3 00	\$25 00	\$210 00
1½ to 2 feet	. 6 00	50 00	420 00
2 to 21/2 feet	. 9 00	70 00	600 00
2½ to 3 feet	.15 00	120 00	950 00
3 to 4 feet		225 00	1,800 00
4 to 5 feet	40 00	350 00	

We offer some large clumps with fine bushy tops, thin-foliaged at bottom, for use in center of large masses, 3 to 6 feet high, at 75 cts. to \$10 each, both nursery-grown and collected.

No not compare the many-stemmed clumps offered above with the single-stemmed "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.



### Rhododendron maximum

THE GREAT AMERICAN ROSE BAY

### and Kalmia latifolia

THE MOUNTAIN LAUREL

#### PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

The use of large native Rhododendron maximum and Kalmia latifolia for producing immediate, finished, broad-leaved, evergreen effects is so well established as to scarcely need comment. There is no other possible way to obtain the results to be had by the use of these magnificent hardy evergreens. We sell both collected and nursery-grown clumps in any quantity. Our facilities and long experience are approached by none, and the quality of stock we handle cannot be duplicated. We have over 100,000 Rhododendrons and Kalmias growing in our Nurseries, fine bushy plants with balls.

Our nursery-grown stock is at Highlands Nursery, in N. C., and Salem, Salem Branch, while we collect car-load lots from special sources in the Pennsylvania and Carolina Mountains. Prices per car-load of Rhododendron maximum vary with size and grade.

Freight rate from our Pennsylvania fields to Boston, New York, Philadelphia, Buffalo and similar points is from \$20.00 to \$40.00 per car. Number of plants to the car varies from forty or fifty to several hundred, according to size and grade.

It is always best to have us make a special estimate where large quantities are desired, and it is cheaper and more satisfactory to buy by the plant, and have cars packed to the utmost limit.

#### PRICES BY THE PLANT

#### RHODODENDRON MAXIMUM

All are bushy and with balls, and the larger clumps usually budded and all well furnished, diameter corresponding well to height.

NURSERY-GROWN P	er 10	100	1,000
3 to 6 in\$0	40	\$2 50	\$18 00
6 to 12 in	75	5 00	40 00
1 to 1½ ft	75	12 50	100 00
1½ to 2 ft	00	20 00	180 00
Clumps, 9 to 12 in	00	20 00	
Clumps, 1 to 1½ ft		30 00	
Clumps, 1½ to 2 ft		60 00	
Clumps, 2 to 3 ft		115 00	
Clumps, 3 to 3½ ft		250 00	

Some extra clumps, 3 to 6 ft., at \$3.50 to \$10.00 each. These prices are for stock growing at Nursery in North Carolina. Prices for stock growing in Nursery at Salem, Mass., 25 per cent above these prices.

#### COLLECTED CLUMPS

	Per 10	100	1,000
1 to 1½ ft	\$2 75	\$20 00	\$160 00
1½ to 2 ft	4 00	35 00	300 00
2 to 3 ft	9 00	70 00	500 00
3 to 4 ft	17 00	140 00	1.000 00
4 to 5 ft	30 00	200 00	1,600 00
5 to 6 ft	50.00	400 00	

Some magnificent clumps, 4 to 6 feet, perfect specimens, from \$6.00 to \$15 each. If you want something extra, we have it.

#### RHODODENDRON PUNCTATUM

The smallest Alleghanian species, and very rare. A graceful shrub, with rose blossoms borne in greatest profusion in June. Beautiful for rocky slopes and cliffs, as it stands exposure unusually well. One of the finest specimens ever introduced.

		Per 10	100
3 to 6 in	ſ	.\$0 60	\$5 00
6 to 9 in		. 1 25	10 00
6 to 9 in		. 2 00	18 00
Clumps, 9 to 12 in		. 4 00	30 00
Clumps, 1 to 1½ ft		. 8 00	

#### KALMIA LATIFOLIA

All are well furnished and bushy and lift with fine balls, the larger clumps usually budded. Diameter corresponds well to height.

	NURSER		Per 10	100	1,000
3 to 6 in		 	.\$0 40	\$2 50	\$18 00
6 to 9 in		 	. 75	5 00	35 00
9 to 12 in				8 00	55 00
1 to 1½ ft				12 50	100 00
1½ to 2 ft		 	. 3 00	20 00	180 00
Clumps, 9 to 12 in		 	. 3 00	20 00	
Clumps, 1 to 11/2 ft		 	. 4 50	40 00	
Clumps, 11/2 to 2 ft		 	. 8 00	75 00	
Clumps, 2 to 3 ft		 	.20 00	150 00	
	COLLECT			100	1,000
1 to 1½ ft		 	. \$2 75	\$20 00	\$160 00
11/2 to 2 ft		 	. 4 00	35 00	300 00
2 to 2½ ft				60 00	450 00
2½ to 3 ft		 	.12 00	85 00	600 00
Larger clumps, fine s				to \$8.00	each.

#### HARDY AMERICAN DECIDUOUS TREES

TIMIND I	MILLIOMI	DECIDOOO	IIL	LJ
		Per 10	100	1,000
Acer negundo.	1 to 9 ft	\$0 50	\$3 00	21000
	4 ft		5 00	
pennsylvani		75	5 00	
	3 ft		8 00	
	4 ft		12 00	
rubrum. 2	to 3 ft,	1 00	6 00	
3 to	4 ft	1 50	10 00	
saccharum.	1 to 2 ft		3 00	\$20 00
2 to	3 ft		4 50	35 00
	4 ft		7 00	0
	6 to 12 in., S		1 50	12 00
	12 in		3 00	25 00
	2 ft		5 00	40 00
	3 ft		8 00	
AEsculus octa		50	4 00	
Amelanchier	botryapium. 1 to 2	ft 75	6 00	50 00
2 to	3 ft	1 00	8 60	70 00
3 to	4 ft	1 50	12 00	
Betula lenta.	2 to 4 ft		5 00	
	12 ft		15 00	
	4 ft		5 00	40 00
	6 ft		8 00	70 00
	4 ft		6 00	50 00
	6 ft		12 00	
6 to	8 ft	2 00	17 50	
papyrifera.	3 to 4 ft	1 50	12 00	
4 to	6 ft	2 00		
populifolia.	6 to 12 in		4.50	
	2 ft		9 00	
Carpinus caro		8	3 00	20 00
	2 ft		5 00	40 00
	3 ft		8 00	60 00
	4 ft		12 00	110 00
	5 ft		20 00	
Carya amara.	6 to 12 in	1 25		
Castanea den	tata. 1 to 2 ft., S		4 00	30 00
	4 ft	1 00	6 00	50 00
	6 ft			
pumila. 6 t	o 12 in., S	1 25	9 00	75 00
Catalpa specio			3 00	10 00
			6 00	
	4 ft		0 00	
Cercis canader	isis. 2 to 3 ft	75		
Cladrastis lut	ea. 2 to 4 ff			
	folia. 6 to 12 in		2 00	
2 to	3 ft		7 00	
3 to	4 ft	1 75	14 00	
4 to	5 ft	2 00	16 00	
	l2 in		5 00	
	3 ft		12 00	
	giniana. 1 to 2 ft		5 00	
Fagus america			6 00	
	3 ft		0.00	
	ricana. 1 to 2 ft		3 00	
	3 ft		5 00	
lanceolata.	6 to 12 in., S		3 00	20 00
1 to	2 ft		4 00	30 00
	3 ft		6 00	50 00



HARDY AMERICAN DECIDUOUS	TREES	. continu	ed
	Per	100	1,000
Fraxinus nigra. 4 to 6 ft	1 0	0 87 00	
quadrangulata. 6 to 12 in		0 5 500	
Ilex monticola. 6 to 12 in	5	0 3 00 0 15 00	
4 to 6 ft	7	5 5 00	
nigra. 1 to 2 ft		0 5 6 00	
2 to 3 ft	1 2	5 9 00 5 4 00	
Liquidambar styraciflua. 1 to 2 ft	1 2	5 9 00	
Liriodendron tulipifera. 4 to 6 ft		0 450	
fraseri. 6 to 12 iu	7	5 5 00 5	
tripetala. 1 to 2 ft. 2 to 3 ft.	1 0	0 7 00	
3 to 4 ft	2 0	0 15 00	
4 to 6 ft	1 5	0 12 00	
1 to 2 ft 2 to 3 ft	3 0	0 18 00	
Mohrodendron diptera. 2 to 3 ft	2 0	0 8 00	200 00
carolinum. 6 to 12 in	1 5	0 10 00	<b>\$</b> 60 00
2 to 3 ft	3 0	0 17 50	
Nyssa multiflora. 6 to 12 in		0 6 00	
2 to 3 ft 3 to 4 ft	1 5	0 12 00	
Oxydendrum arboreum. 1 to 2 ft	1 0	0 7 00	50 00
2 to 3 ft	1 1	5 15 00 0	
Populus tremuloides. 4 to 6 ft			0.00
Prunus pennsylvanicum. 1 to 2 ft., col		0 2 00 8 00	8 00
Ptelea trifoliata. 1 to 2 ft	7	5 5 00 0 7 00	40 00 50 00
3 to 4 ft	1 2	5 9 00	65 00
Quercus alba. 6 to 12 in., S	7	0 3 <b>0</b> 0 5 5 00	20 00 30 00
1 to 2 ft	1 2	5 7 00 5 15 00	60 00 135 00
laurifolia. 6 to 12 m	1 3	0 12 00	
macrocarpa. 1 to 2 ft	1 2	5 9 00 0	
palustris. 2 to 3 ft	1 7	5 15 00 0 20 00	
4 to 5 ft	3 5	0 7 00	
2 to 3 ft	1 7	5 6 00	
rubra. 1 to 2 ft	1 5	0 12 00	100 00
4 to 6 ft		0 17 50 5 4 00	
Rhus cotinoides, 1 to 2 ft	8 0	0	
2 to 3 ft	20 0	0	
4 to 6 ft	35 0	0 2 50	
2 to 4 ft	7	5 5 00 5 5 00	
1 to 2 ft	1 2	5 9 00	
2 to 4 ft	3 0		
Taxodium distichum. 2 to 3 ft		0 5	
heterophylla. 6 to 12 in	7	5 5 00 5	
Ulmus americana. 1 to 2 ft	5	0	
Salix alba. 12 to 18 in	6	0 4 50	

IIAIVDI AMILINICAN LILINIKLIN IIVLL	HARDY	<b>AMERICAN</b>	EVERGREEN	TREES
-------------------------------------	-------	-----------------	-----------	-------

	Per 10	10	00	1,00	00
Abies balsamea. 6 to 12 in	\$1 00		00	-,-,	
concolor. 6 to 12 in	2 00	15	00		
fraseri. 6 to 12 in	60	4	50	\$35	00
1 to 2 ft			00		
2 to 3 ft		12	00		
3 to 4 ft	3 50				
Chamaecyparis sphæroidea. 1 to 2 ft	2 00				
Ilex opaca. 6 to 12 in		12	00	100	00
12 to 18 in		15	00		
18 to 24 in					
Juniperus communis. 1 to 2 ft	1 00	7	00		
2 to 3 ft	1 75	~	00		
Magnolia glauca. 1 to 2 ft			-		
glauca thompsoniana. 6 to 12 in			50 00		
12 to 18 in			50		
Picea canadensis. 6 to 12 in			00	50	00
12 to 18 in			00	90	00
mariana. 6 to 12 in		2	00		
1 to 2 ft			00		
2 to 3 ft			00		
3 to 4 ft			00		
4 to 5 ft					
pungens. 1 to 2 ft		50	00		
Pinus contorta. 1 to 2 ft	75	5	00		
2 to 3 ft	1 00	7	00		
3 to 4 ft		12	00	100	00
flexilis. 6 to 12 in					
pungens. 1 to 2 ft					
2 to 3 ft					
resinosa. 12 to 18 in				0."	0.0
strobus. 6 to 12 in			00	35	
1 to 2 ft			00	80	
2 to 3 ft			00	125	00
4 to 5 ft		30	UU		
tæda. 6 to 12 in					
ponderosa. 2 to 3 ft	. 3 00				
Pseudotsuga taxifolia. 6 to 12 in		7	00	60	00
Thuja occidentalis. 1 to 2 ft			00	30	
2 to 3 ft			00	00	00
3 to 4 ft		12	00		
4 to 5 ft		20	00		
Tsuga canadensis. 6 to 12 in			50	30	
12 to 18 in			00	60	
18 to 24 in			00	125	00
2 to 3 ft			00		
3 to 4 ft		40	00		
4 to 5 ftcaroliniana. 6 to 12 in		10	00		
12 to 18 in			00		
18 to 24 in			00		
2 to 3 ft		130			
3 to 4 ft					

#### HARDY AMERICAN DECIDUOUS SHRUBS

		r 10	10	00	1.00	00
Adelia acuminata. 2 to 3 ft	.\$1	00	\$8	00		
3 to 4 ft						
Alnus alnobetula. 3 to 4 ft	. 3	00	20	00		
4 to 6 ft	. 4	50	30	00		
rugosa. 1 to 2 ft	. 1	00	7	00		
• 2 to 3 ft., elumps			17	50		
3 to 4 ft	. 3	00				
Amorpha fruticosa. 1 to 2 ft		60	4	50		
montana. 6 to 12 in., S		50	3	00	\$20	00
2 to 3 ft						
Aralia spinosa. 4 to 6 ft	. 2	00	15	00		
arbutifolia. 1 to 2 ft	. 1	00	7	00		
3 to 4 ft	. 2	50	20	00		
erythrocarpa. 2 to 3 ft	. 1	50	12	00		
Aronia melanocarpa. 1 to 2 ft	. 1	00				
nigra. 1 to 2 ft., elumps			6	00	40	00
2 to 3 ft., elumps				00		
3 to 4 ft., clumps						

HARDY AMERICAN DECIDUOUS SHRU	BS.	contin	ued
	10	100	1,000
Azalea arborescens. 6 to 12 in	50 8	\$12 00	
6 to 12 in., clumps	00	17 50 17 50	\$160 00
	50	30 00	275 00
18 to 24 in	00	25 00	
18 to 24 in., heavy clumps	00	50 00	
2 to 3 ft., clumps	00		
lutea. 6 to 12 in	00	7 00	50 00
12 to 18 in	50	12 00	100 00
12 to 18 in., clumps		17 50 20 00	175 00
18 to 24 in., clumps		30 00	110 00
2 to 3 ft., clumps 5	00	40 00	
3 to 4 ft., elumps	00 1 25	8 00	70 00
nudiflora, 6 to 12 in. 1 12 to 18 in. 2 18 to 24 in. 3	00	15 00	130 00
18 to 24 in	00	10 00	130 00
vasevi. 6 to 12 in	50	12 00	100 00
12 to 18 in	00	17 50	160 00
viscosa. 6 to 12 in	0 <b>0</b>	35 00 6 00	40 00
12 to 18 in	25	9 00	60 00
18 to 24 in 2	00		
Baccharis halimifolia. 1 to 2 ft., strong 1	25	9 00	00.00
Benzoin benzoin. I to 2 ft	00 75	8 00 15 00	60 00
2 to 3 ft	50	3 00	
1 to 2 ft	75	5 00	
thunbergii. 6 to 12 in	40	3 50	
	00	$\frac{700}{1200}$	
1 to 2 ft., clumps	50 75	12 00 15 00	
vulgaris. 6 to 12 in.	50	4 00	
1 to 2 ft., clumps	75	5 00	
Butneria fertilis. 2 to 3 ft., clumps 1	00	8 00	
norida. O to 12 m	50 75	2 00	15 00 20 00
1 to 2 ft		12 50	100 00
3 to 4 ft., clumps 2	00		100 00
3 to 4 ft., clumps	00		
Casnothus americanus 6 to 12 in	50 00	10 00 18 00	
1 to 2 ft. 2  Cephalanthus occidentalis. 1 to 2 ft. 1	00	7 00	
Chionanthus virginica. 6 to 12 in., S	50	2 50	20 00
1 to 2 ft	00	8 00	50 00
Chionanthus virginica. 6 to 12 in., 8.  1 to 2 ft. 1 2 to 3 ft. 2 3 to 4 ft. 4 4 to 5 ft. 7  Clethra acuminata. 1 to 2 ft. 2 2 to 3 ft. 1		15 00	140 00
3 to 4 ft	00 50	30 00	
Clethra acuminata 1 to 2 ft	60	4 00	
2 to 3 ft	00	7 00	
3 to 4 ft 1	50	12 00	
4 to 6 ft., clumps	50 00	20 00 7 00	60 00
2 to 3 ft. clumps		16 00	150 00
ainifolia. 1 to 2 ft., elumps. 1 2 to 3 ft., elumps. 2 3 to 4 ft., elumps. 6 Cliftonia ligustrina. 6 to 12 in. 2 12 to 18 in. 3 Comptonia peregrina. 1 to 2 ft Cornus alba. 1 to 2 ft 2 to 3 ft. 1 amonum. 6 to 12 in. S 1 to 2 ft	00	20 00	100 00
Cliftonia ligustrina. 6 to 12 in	00		
12 to 18 in	00 75	4 00	35 00
Cornus alba. 1 to 2 ft	60	4 00 3 00	99 00
2 to 3 ft	00	7 00	
amonum. 6 to 12 in., S	60	2 00	10 00
	75 00	4 00	10.00
2 to 3 ft		$\begin{array}{ccc} 6 & 00 \\ 12 & 00 \end{array}$	40 00
paniculata. 1 to 2 ft		10 00	
2 to 3 ft 9	00		
stolonifera. 2 to 3 ft		12 00	
Corving americana 1 to 9 ft	60	4 50 4 00	
3 to 4 ft	25	9 00	
rostrata. 1 to 2 It 1	00	6 00	50 00
2 to 3 ft	25	9 00	
Crataegus coccinea. 6 to 12 in	75 00	6 00 8 00	
cordata. 2 to 3 ft	25	9 00	
3 to 4 ft 1	75		
crus-galli. 1 to 2 ft	00	7 00	
2 to 3 ft	50 75	12 00 5 00	40 00
punctata. 6 to 12 in	25	9 00	60 00
- av m water till til transfer til till till till till till till till			

HARDY AMERICAN DECIDUOUS SHRUBS,	contin	ued
. Per 10	100	1,000
Decodon verticillatus Strong \$1 00	\$7 00	
Diervilla diervilla. 6 to 12 in.         75           12 to 18 in.         1 25           12 to 18 in.         2 5	6 00	
12 to 18 III	9 00	
sessilifolia. 1 to 2 ft	6 00	
rivularis. 1 to 2 ft., clumps	10 00	
3 to 4 ft., clumps	15 00 8 00	
2 to 4 ft	15 00	\$130 00
2 to 4 ft       1 75         Fothergilla alnifolia. 6 to 12 in.       2 00         Gaylussacia resinosa. 6 to 12 in.       75	10 00	4200 00
Gaylussacia resinosa. 6 to 12 in	5 00	
ursing 6 to 12 iii		
12 to 18 in. 2 00 <b>Hamamelis</b> virginica. 1 to 2 feet. 1 00	6 00	
2 10 3 11 1 30	12 00	
3 to 4 ft 2 50	20 00	
4 to 5 ft	35 00 5 00	
<b>Hydrangea</b> arborescens. 1 to 2 ft	12 00	
3 to 4 ft., clumps	20 00	
radiata. 6 to 12 in 75	5 00	
1 to 2 ft	12 00	
2 to 3 ft	5 00	
varticillate 6 to 19 in 75	5 00	40 00
1 to 2 ft 1 00	7 00	60 00
2 to 3 ft	15 00 10 00	
Leucothoe recurva. 1 to 2 ft., clumps	7 00	
2 to 3 ft	12 00	
Ligustrum ibota. 6 to 12 in	2 00	
1 to 2 ft	3 00 2 00	15 00
regelianum. 6 to 12 in	4 00	30 00
Menziesia pilosa. 1 to 2 ft	10 00	00 00
Myrica cerifera. 6 to 12 m	5 00	40 00
12 to 18 in	12 00	
gale. 2 to 2½ ft. 1 50  Pieris mariana. 6 to 12 in. 1 00	8 00	
1 to 2 ft 1 75	12 00	
1 to 2 ft		
Prunus maritima.         6 to 12 in	5 00	
pumila. 1 to 2 ft	8 00	
	15 00	
<b>Hnodora</b> canadensis. 6 to 12 in	8 00	
12 to 18 in	12 00 5 00	
12 to 18 in	9 00	
Rhus aromatica. 6 to 12 in., S	5 00	40 00
conallina 1 to 2 ft	5 00	
2 to 3 ft. 1 00 3 to 4 ft. 1 50 glabra. 1 to 2 ft. 1 00	9 00 12 00	
glabra. 1 to 2 ft	6 00	
2 to 3 ft	9 00	
2 to 3 ft. 1 50 3 to 4 ft. 2 00	15 00	
hirta. 1 to 2 ft	5 00	
2 to 1 ft 2 00	. 00	
Ribes cynosbati. 1 to 2 ft 1 50	10 00	
prostratum. 2 to 3 ft	12 <b>0</b> 0 5 00	
Robinia hispida, 1 to 3 ft	8 00	
kelseyi. 6 to 12 in	20 00	
1 to 2 ft		
rosea. 1 to 2 ft	8 00	
viscosa. 2 to 4 ft	0 00	
Rosa blanda. 6 to 12 in	5 00	
1 to 2 ft 1 00	6 00	
2 to 3 ft	12 00 3 00	20 00
2 to 3 ft	5 00	-0 00
humilis lucida. 6 to 12 in 60	4 00	30 00
19 to 18 in 1 00	6 00	
lucida.       1 to 2 ft	6 00 9 00	
nitida. 1 to 2 ft	9 00	
2 to 3 ft., clumps 2 00		
rubiginosa. 6 to 12 in	4 00	



HARDY AMERICAN DECIDUOUS SHRUBS.	contin	ued
Per 10	100	1,000
Rosa rugosa 1 to 2 ft. \$1 50 rugosa alba. 2 to 3 ft., clumps. 2 50 setjeers 1 to 2 ft.	\$10 00	
setigera. 1 to 2 ft	7 00	
setigera. 1 to 2 ft	10 00	
woodsii. 12 to 18 in	2 00	\$18 00
1 to 2 ft 75	3 00	25 00
Sambucus canadensis. 1 to 2 ft., col 40	3 00	20 00
pubens. 6 to 12 in., S	5 00 7 00	
2 to 3 ft		
1 to 2 ft 1 00 2 to 3 ft 1 50 Spiraea salicifolia 3 to 4 ft 6 ft., clumps 1 00 4 to 6 ft., clumps 1 00	4 00	40.00
munpergn. 1 to 2 m	7 00 6 00	40 00
tomentosa. 1 to 2 ft	5 00	
<b>Stuartia</b> pentagyna. 6 to 12 in	5 00 15 00	40 00 130 00
1 to 2 ft	30 00	130 00
3 to 4 ft		
Symphoricarpus racemosus.         1 to 2 ft	5 00 7 00	
2 to 3 ft., clumps	12 00	
symphoricarpus. 1 to 2 ft	5 00	
Vaccinium         erythrocarpon         6 to 12 in         1 00           12 to 18 in         1 75	8 00 15 00	
hirsutum 6 to 12 in 2 00	15 00	
pallidum. 6 to 12 in	7 0 <b>0</b> 10 00	
stamineum. 6 to 12 in	7 00	
12 to 18 in	10 00	
Viburnum         acerifolium.         1 to 2 ft., strong.         1 00           2 to 3 ft., clumps.         1 75	7 00 15 00	60 00 130 00
3 to 4 ft., clumps	20 00	130 00
alnifolium. 6 to 12 in	8 00	70 00
1 to 2 ft	15 00	
1 to 2 ft	5 00	40 00
1 to 2 ft	12 00 20 00	80 00
3 to 4 ft., clumps. 4 00 dentatum 2 to 3 ft. 2 00 3 to 4 ft 3 00	20 00	
dentatum. 2 to 3 ft	17 50	
3 to 4 ft	25 00	
nudum 1 to 2 ft 1 50		
2 to 3 ft. 2 00 prunifolium. 6 to 12 in 1 00	17 50 8 00	
1 to 2 ft	15 00	
2 to 3 ft		
3 to 4 ft	5 00	
12 to 18 in 1 50	12 00	
Xanthorrhiza apiifolia. 3 to 6 in., elumps 50 6 to 12 in., elumps 1 00	3 00 6 00	20 00 45 00
12 to 18 in., clumps 1 50	10 00	4.5 00
<b>Xolisma</b> ligustrina. 1 to 2 ft	$\frac{6}{12} \frac{00}{00}$	
1 to 2 ft., enumps 1 45	12 00	
WARRY AREDIGAN FUER AREES	CITT	
HARDY AMERICAN EVERGREEN	<b>2UH</b>	UBS
Per 10  Andromeda polifolia. 6 to 12 in., clumps	100	1,000
Andromeda polifolia. 6 to 12 in., clumps\$0 75 12 to 18 in., clumps	\$5 00	\$40 00
Chamaedaphne calyculata. 6 to 12 in., clumps 75	5 00	
12 to 18 in	7 00 5 00	
Chamaedaphne calyculata, 6 to 12 in., clumps.     75       12 to 18 in.     1 00       Dendrium buxifolium.     6 to 12 in.     75       12 to 18 in., clumps.     1 00       prostratum.     3 to 6 in.     1 00       prostratum.     3 to 6 in.     1 50	3 00	
prostratum. 3 to 6 in	6 00	50 00
Hypericum aureum. 1 to 2 ft., S., 75	9 00 5 00	40 00
1 to 2 ft	8 00	
2 to 3 ft. 1 50 3 to 4 ft. 2 50	12 00	
buckleyi. 6 to 12 in., clumps	15 00	
buckleyi.       6 to 12 in., clumps.       1 75         densiflorum.       6 to 12 in., S.       30         1 to 2 ft., S.       50	1 00 2 00	8 00 15 00
2 to 3 ft 1 00	6 00	40 00
3 to 4 ft 1 25	9 00	60 00
prolificum. 1 to 2 ft	5 00 12 00	

HARDY AMERICAN EVERGREEN SHRUBS.	contin	ued
Per 10	100	1,000
Ilex glabra. 6 to 12 in.       .\$1 50         12 to 18 in.       2 00	\$12 00	
Juniperus communis aurea. 12 to 18 in 1 50		
sabina. 6 to 12 in		
Kalmia angustifolia, 6 to 12 in 50	4 00	
Kalmia angustifolia, 6 to 12 in.         50           12 to 18 in.         1 00           Ledum groeulandicum.         6 to 12 in.         1 00	8 00 8 00	
	12 00	*10.00
12 to 18 in. medium	5 00 7 00	\$40 00 60 00
12 to 18 in., clumps	12 00	
Leucothoe     catesbrei     6 to 12 in     75       12 to 18 in, medium     1 60       12 to 18 in, clumps     1 50       Pieris floribunda     6 to 12 in     7 50       12 to 18 in     14 00		
18 DODICS. 18 TO 24 10		
Taxus minor. 6 to 12 in.     1 50       12 to 18 in.     2 50	12 00	
HARDY NATIVE VINES AND CLI	MBE	RS
Per 10	100	1,000
Aristolochia sipho. 6 to 12 in\$1 00	\$7 00	
Bignonia crucigera.         6 to 12 in	3 00	
Celastrus scandens. 1 to 2 ft	5 00	\$40 00
2 tô 4 ft	7 00	60 00
Clematis coccines	12 00	
erispa. 1 75 virginiana. Strong S. 25	2 00	12 00
Strong clumps	4 00	25 00
Dioscorea villosa	4 00	
<b>Euonymus</b> radicans. 12 to 18 in	15 00	
Humulus lupulus	5 00	
Ipomoea pandurata	10 00	
flava. Strong	7 00	
flava. Strong	4 00	30 00
sempervirens. 1 to 2 ft	4 00	
Menispermum canadense	1 50	12 00
Parthenocissus engelmanni. ('ol. plants	7 00	50.00
Second size	5 00 6 00	35 00
vitacea, 6 to 12 in	10 00	
Passiflora incarnata	12 00	
Polygonum cilinode	3 50	20 00
<b>Tecoma</b> grandiflora. 12 to 18 in	3 00	
Vitis æstivalis. 6 to 12 in	9 00	
1 to 2 ft	15 00	
cordifolia. 1 to 2 ft	12 00 12 00	
heterophylla. 6 to 12 in.       1 50         indivisa. 1 to 2 ft.       3 00         labrusea. 6 to 12 in., S.       1 00	12 00	
labrusea. 6 to 12 in., S	3 00	20 00
2 to 4 ft., strong. 2 00 monticola 6 to 12 in. 1 50		
1 to 2 ft		
vulpina, 6 to 12 in		
Wistaila Tratescens. Strong 1 00		
HARDY NATIVE GROUND - COVERING P.	LANT!	5
Per 10	100	1,000
<b>Galax</b> aphylla. Tr. clumps	\$6 00 3 00	\$40 00 20 00
Epigaea repens. Tr. clumps 2 00	15 00 7 00	
Gaultheria procumbens. Tr. clumps 1 00	7 00	10.00
Col. clumps 50 Glechoma hederacea 30	3 00 1 50	18 00
Houstonia serpyllifolia. Col 50	3 00	18 00
Lyconodium clayatum. Col 40	2 00	15 00
complanatum. Col	2 00 2 00	15 00 15 00
obscurum. Col 40	2 00	15 00
Mitchells repens. Col. clumps 75	4 00	30 00

	HARDY NATIVE GROUND-COVERING PLA	NTS, co	ntinued
	Per 1		1,000
	Phlox reptans, Col. \$0 5 subulata. Clumps. 7	0 \$3 00 5 5 00	
}	subulata alba		
	subulata alba	0 4 00	
	cuneifolius. 1 to 2 ft		
	hispidus		
	Veronica officinalis. Col	0 3 00	
	serpyllifolia. Col. 5 Vinca minor. Clumps. 7		\$40 00
	Strong plants		20 00
	minor alba 10	0 6 00	
	HARDY AMERICAN NATIVE FER	RNS	
	Per	10 100	1,000
	Adiantum pedatum. Clumps\$1 0	0 \$6 00	\$45 00
	Asplenium augustifolium		
	filix-formina. Strong		
	novaboracensis. Strong 1 0	0 8 00	
	Botrychium dissectum. 7.		
	lunaria 1 0	0	
	virginieum		
	Cystopteris fragilis		
	Dicksonia punctilobula. Clumps 56		15 00
	Dryopteris acrostlchoides		30 00
	eristata elintoniana 1 5 marginalis 7		35 00
	novaboracensis 1 0		99 VU
	spinulosa 7:	5 5 00	35 00
	spinulosa intermedia		
	Lycodium palmatum		
	Onoclea sensibilis	5 5 00	
	Osmunda cinnamomea		40 00 40 00
	regalis 1 00		40 00
	Pellaea atropurpurea . 1 5	0	
	FREE ODIECTS REXAGOROPTERS		15 00
	Polypodium vulgare, Col. clumps 56 Pteris aquilina 56		15 00
	Woodwardia virginica 1 00	8 00	
	INSECTIVOROUS, AQUATIC AND BOG	PLANTS	5
	10	100	1,000
	Acorus calamus \$1 00 Aster punicens, Col. 50 Castalia odorata 100 Colorata dela del	\$5 00	
	Aster punicens. Col		\$12 00
	Chelone glabra		
	luoni	5 00	
	Chrysamphora californica 4 00 Cicuta maculata 100		
	Coptis trifoliata 7:		
	Dionaea muscipula 1 00	5 00	40 00
	Drosera rotundifolia 50		
	Helonias bullata. Clumps		40 00
	versicolor. Clumps		
	Nuphar advena 1 56		
	Nymphaea sagittæfolia 4 00	•	
	Orontium aquaticum		01.00
	Oxycoccus macrocarpus, Clumps		25 00 6 00
	Sagittaria latifolia	1.50	7 00
	Sarracenia catesbai	12 00	
	drummondii		
	minor 1 56		
	psittacina 2 00	12 00	
	purpurea		
	Sparganium ramosum		20 00
	Typha latifolia 1 00	0 0.7	
	10		

HARDY CYPRIPEDIUMS AND OTHER ORCHID	S
Per 10 100	1,000
Cypripedium acaule, Light       \$0.50       \$3.00         Strong       75       5.00	\$20 00
Strong	40 00
candidum 3 00	
hirsutum. Light 50 3 00	20 00
Strong	40 00
reginæ. 1 to 2 crowns	
parviflorum         2           regins         1 to 2 crowns         2 00         15 00           3 to 5 crowns         3 00         28 00	
6 to 7 crowns 5 00 45 00	
Clumps containing 8 crowns or over at 10 cts. per crown.	
Habenaria ciliaris	40 00
hookeriana 75 fi 00	40.00
peramena   75   5 00     Limodorum tuberosum. Strong   1 00   5 00     Orchis spectabilis   1 50   12 50	40 00 40 00
Orchis spectabilis	40 00
Peramium pubescens	
repens 1 50 10 00	
HARDY NATIVE LILIES AND BULBOUS PLAN	TS
Per 10 100	1,000
Allium cernuum	
Arisaema triphyllum	
Bicuculla canadensis	20 00
cucullaria.         75         5 00           eximia.         Strong tr. S.         75         5 00	35 00
eximia. Strong tr. S	35 00
Chrosperma muscætoxicum	20 00
Convallaria majalis	
Convallaria majalis         50         2 00           Erythronium americanum.         Col.         25         1 50	8 00
Lillium canadense	35 00 70 00
carolinianum.         First size.         1 50         8 00           Second size.         75         5 00	40 00
humboldtii 3 00	
gravi. First size	75 00
Second size	50 00 18 00
pardalinum 3 00	20 00
superbum. First size	40 00
Second size	25 00
Third size	10 00 8 00
Trillium erectum	18 00
erectum album	
grandiflorum. Small	7 00
Strong	15 00
easeila Californieum 1 50 10 00	
sessile rubrum	
stylosum. Light	20 00
Strong 1 50 4 00	30 00 18 00
undulatum 50 9 50	
undulatum	10 00
undulatum 50 2 50	
HARDY NATIVE HERBACEOUS PERENN	IALS
HARDY NATIVE HERBACEOUS PERENN Per 10 100	
Undulatum	1,000
HARDY NATIVE HERBACEOUS PERENN   Aconitum reclinatum   100	IALS
HARDY NATIVE HERBACEOUS PERENN	1,000
Undulatum	1,000 \$35 00
HARDY NATIVE HERBACEOUS PERENN	1,000 \$35 00 20 00
Undulatum	1,000 \$35 00
HARDY NATIVE HERBACEOUS PERENN   Aconitum reclinatum   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Aconitum reclinatum   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Aconitum reclinatum   Per 10   100	1,000 \$35 00 20 00
HARDY NATIVE HERBACEOUS PERENN   Aconitum reclinatum   Per 10   100	1,000 \$35 00 20 00 15 00



HARDY NATIVE HERBACEOUS PERENNIAL		
Asclepias incarnata\$1 50	100 \$12 00	1,000
tuberosa 1 00	7 00	
	3 00 10 00	
novæ-angliæ. 1 50 Astilba decandra 1 00	6 00	
Baptisia australis. Strong	12 00	
1 00	3 00 5 00	
Carex fraseri         100           Cassia marylandica Strong         75           Caulophyllum thalictroides         60           Collinsonia canadensis         50           Chamcalitium latter         40	5 00	
Cassia marylandica Strong 75	4 00	
Collinsonia canadensis	4 00 3 00	
Chamaelirium luteum	2 00	\$15 00
Cimining a mariana 50	3 00	20 00
racemosa 50 Clintonia borealis 50	3 00	20 00
umbellulata	3 00	
Coreopsis lanceolata. Clumps	4 50	
major. Clumps	5 00 7 00	
verticillata	4 00	
Cornus canadensis 1 00	6 00	
Corydalis glauca 75 Diphylleia cymosa 1 00	5 00 7 00	
Disportim langinosum 1 00	7 00	
Disporum lanuginosum     1 00       Eupatorium ageratoides     50	3 00	15 00
perfoliatum	3 00 3 00	15 00
100   100	4 00	
Gentiana andrewsii	2 00	12 00
Geranium maculatum. 50 Germ radiatum 1 00	3 00	
Grindelia squarrosa. 60	4 00	
Helenium autumnale Col. clumps 50	3 00	25 00
Helianthus strumosus 75 Hepatica acuta 40	3 00	20 00
hepatica acuta	5 00	20 00
Heuchera americana	5 00	40 00
pubescens	5 00	
sanguinea         2 00           sanguinea alba         3 00           villosa         60           Hibiscus, Crimson Eye         75           moscheutos         50           Rose-pink         Strong         1 00           Houstonia         purpurea         50           Hydrestis         50		
villosa	4 50	
Hibiscus, Crimson Eye	5 00 4 00	
Rose-pink. Strong	7 00	
Houstonia purpurea. Col. clumps 50	3 00	
Twig evictors Clumps 75	3 00 4 00	
Strong 50	3 00	20 00
verna. Clumps	2 00	10.00
Tigtris gracilis 100	6 00	10 00
Lateriat pychostachya	6 00	
scariosa	6 00	
montana	6 00	
Lentandra virginica 1 00	6 00	
Lewisia rediviva 3 00 Leucocrinum montanum 2 00	20 00 15 00	
Lobelia cardinalis. Strong 50	4 00	
syphilitica 75	5 00	
Melanthium virginicum   1 00     Mertensia virginica   1 00	7 00 8 00	
Mimulus ringens. Col. clumps	2 00	
Monarda didyma. Clumps 1 00	6 00	
Monarda elinopodia 1 00 fistulosa	6 00	
Panax quinquefolium. Sizes and prices on request.	0 00	
Parnassia asarifolia         1 50           Paronychia argyrocoma         1 00           Phlox maculata         75		
Phiox maculata 75	5 00	
Physostegia virginiana	6 00	
virginiana, var. alba	7 00 2 00	18 00
Physostegla         virginiana         75           virginiana, var. alba.         1 60           Podophyllum         50           polygonatum biflorum         60           rotatelum         75	3 00	10 00
Commutation	5 00	
Porteranthus stipulatus. Strong	5 00 5 00	
Sanguinaria canadensis. See under Bulbs.		
Sedum telephioides 1 00	7 00	
ternatum 50	3 00	

HARDY NATIVE HERBACEOUS PERENNIAL	S, cont	inued
Per 10	100	1,000
Shortia galacifolia. First size	\$25 00	
Second size	10 00	
Silene stellata 60	4 00	
virginiea	8 00	
Solidago canadensis	5 00	
odora	5 60	
In var 50	2 (0)	\$10 00
virgaurea 75	5 00	
Spigelia marylandica	10 00	
Stachys aspera	4 00	
Steironema quadriflorum	5 00	
ciliatum	5 00	
Stenanthium robustum, Med 1 75	12 00	
Heavy	20 00	
Stokesia cyanea	8 00	
Thalictrum dioicum	3 00	
Thermopsis caroliniana Strong	8 00	
	5 00	
ZIICI OIOZI (ICOMITILIONICI)	5 00	
Zittacoocazea parate in	5 00	
Tilginitette	4 00	
That to the third in the same is a second of the same	4 00	
Triosteum perfoliatum	4.00	
Unifolium canadense	4 00	
Uvularia perfoliata	3 00	
sessilifolia 1 00	1.00	
Vagneria racemosa. Strong	4 (0	
Veratrum viride. Strong 75	4 60	
Vernonia novaboracensis. Col clumps 75	4 00	
Viola blanda 75		
canadensis 75	4 00	
cucullata	3 60	
hastata 50	3 00	
lanceolata 75	4 00	
palmata	5 00	
	15 00	
	3 00	
Totalianona	5 00	
a deca mamemosa	5 00	40 00
indecided. Treaty crainips	5 00	****
glauca. Medium	0 00	
Xerophyllum asphodeloides. Strong 1 60	7 00	
Zigadenus leimanthoides 1 50	12 00	
Zigadenus leimanthoides 1 50	1= 00	
HARDY AMERICAN CACT!		
HAMDI MITERIORII CHOIL		Per 10
Opuntia camanchia		
fragilis		1 50
refinesquii		2 00
mesacantha macrorhiza		2 06
mesacantha cymochilla		2 00



BEAUTIFULLY Illustrated Catalogue of Kelsey's Hardy American Plants is gladly sent to all in the trade. It will make you acquainted with the best and hardiest class of ornamentals for American Parks and Gardens



### HARLAN P. KELSEY

6 Beacon Street BOSTON, MASS.